

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1270	361/118.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/23 09:22
S2	1	361/118.ccls. and (housing or enclosure) and (print adj circuit board or PCB) and (ground adj terminal) and (low impedance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/23 10:51
S3	2	361/118.ccls. and (housing or enclosure) and (print adj circuit board or PCB) and (ground adj terminal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/23 09:34
S4	4	361/118.ccls. and (housing or enclosure) and (print adj circuit board or PCB) and (ground adj (terminal or wire))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/23 09:34
S5	2	("4104496"   "4975797").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/23 09:35
S6	2	("5581434").URPN.	USPAT	OR	OFF	2005/12/23 09:36
S7	2	361/118.ccls. and (housing or enclosure) and (print adj circuit board or PCB) and (ground adj terminal) and (data or control or networks)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/23 09:38
S8	14	((("4,389,695") or ("5,563,761") or ("5,717,561") or ("6,095,856") or ("5,674,079") or ("5,377,067") or ("6,692,270"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/23 16:11
S9	0	("6692270").URPN.	USPAT	OR	OFF	2005/12/23 09:40
S10	6	("4389695"   "5377067"   "5563761"   "5674079"   "5717561"   "6095856").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/23 09:40
S11	3	361/118,119.ccls. and (housing or enclosure) and (print adj circuit board or PCB) and (low impedance near3 ground adj (terminal or wire or plate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/23 10:02
S12	10	361/118,119.ccls. and (housing or enclosure) and (print adj circuit board or PCB) and (low impedance) and (ground adj (wire or plate or terminal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/23 13:20

S13	8	361/118,119.ccls. and (housing or enclosure) and (print adj circuit board or PCB) and (low adj impedance) and (ground adj (wire or plate or terminal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/23 10:03
S14	1	361/118.ccls. and (low adj impedance adj ground adj wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/23 10:52
S15	2	361/118.ccls. and (low adj impedance adj conductor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/23 10:58
S16	6	361/118.ccls. and (PLC or programmable adj logic adj controllers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/23 10:58
S17	0	("10777587").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/23 11:42
S18	1	"10777587"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/23 11:42
S19	6	361/118,119.ccls. and data adj surge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/23 14:31
S20	2	("5748093").URPN.	USPAT	OR	OFF	2005/12/23 13:22
S21	0	361/118,119.ccls. and grouding adj (wire or strap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/23 14:41
S22	0	439/92.ccls. and grouding adj (wire or strap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/23 14:34
S23	9	grouding adj (wire or strap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/23 14:34

S24	13960	ground adj (wire or strap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/23 14:34
S25	119	439/92.ccls. and ground\$3 adj (wire or strap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/23 15:31
S26	124	361/118,119.ccls. and ground\$3 adj (wire or strap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/23 14:42
S27	0	361/118,119.ccls. and ground\$3 adj (wire or strap) and coupled to (PCB or printed adj board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/23 14:42
S28	6	361/118,119.ccls. and ground\$3 adj (wire or strap) and coupled and (PCB or printed adj board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/23 14:43
S29	124	361/118,119.ccls. and ground\$3 adj (wire or strap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/23 15:32
S30	0	361/118,119.ccls. and ground\$3 adj (wire or strap) near3 (print adj circuit adj board or PCB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/23 15:33
S31	6	361/118,119.ccls. and ground\$3 adj (wire or strap) and (print adj circuit adj board or PCB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/23 15:35
S32	6	ground\$3 adj (wire or strap) near (print adj circuit adj board or PCB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/23 15:35
S33	832	(enclosure or housing) same (ground\$3) same (terminal or plate) same (ground adj wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/23 16:12

S34	33	S33 same (transient surge surges overvoltage) same (protect\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/23 16:13
S35	89	361/118.ccls. and low adj impedance and ground\$3 and (wire or cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/28 10:39
S36	48	361/118.ccls. and low adj impedance and ground\$3 and (wire or cable) and (data or communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/28 10:41
S37	6	361/118.ccls. and low adj impedance and ground\$3 adj (wire or cable) and (data or communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/28 10:43
S38	3	361/118.ccls. and low adj impedance and ground\$3 adj (wire or cable) and (data or communication) and (braided or coaxial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/28 11:22
S39	2	("5,674,079").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/28 11:21
S40	2	("5,563,761").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/28 11:21
S41	15	361/118.ccls. and (fist or second) and (multi adj conductor\$1) and (pin or pins) and (PCB or printed adj circuit adj board) and connector and coupled and (data) and (input or output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/28 11:25
S42	0	361/118.ccls. and (fist or second) and (multi adj conductor\$1) adj3 coupled adj3 (PCB or printed adj circuit adj board) and connector and (pin or pins)and (data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/28 11:27
S43	0	361/118.ccls. and (fist or second) and (multi adj conductor\$1) adj3 coupled adj3 (PCB or printed adj circuit adj board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/28 11:27

S44	0	361/118.ccls. and (fist or second) and (multi adj conductor\$1) near3 coupled adj3 (PCB or printed adj circuit adj board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/28 11:27
S45	0	361/118.ccls. and (fist or second) and (multi adj conductor\$1) near3 coupled near3 (PCB or printed adj circuit adj board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/28 11:27
S46	0	361/118.ccls. and (fist or second) and (multi adj conductor\$1) near2 coupled near2 (PCB or printed adj circuit adj board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/28 11:28
S47	0	361/118.ccls. and (fist or second) and (multi adj conductor\$1) adj coupled adj (PCB or printed adj circuit adj board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/28 11:28
S48	16	361/118.ccls. and (fist or second) and (multi adj conductor\$1) and coupled and (PCB or printed adj circuit adj board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/28 11:29
S49	16	361/118.ccls. S35 (multi adj conductor\$1) and coupled and (PCB or printed adj circuit adj board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/28 11:29
S50	20	361/118.ccls. S35 (multi adj conductor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/28 11:56
S51	2	("6,095,856").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/28 12:13
S52	0	("10777587").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/28 12:13
S53	0	(10/777587).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/28 12:13

S54	1	10/777587	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/28 14:23
S55	2	("4,389,695").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/28 16:38
S56	8	361/118.ccls. and (fuses) and (resettable) and (temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/28 16:39
S57	4	361/41.ccls. and reset or resettable near temperture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/28 16:52
S58	10893	resettable or reset near fuse or fuses same temperture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/28 16:44
S59	122	S58 same (surge surge) same protect\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/28 16:45
S60	54	S59 and (data or commucation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/28 16:47
S61	238408	"54" and fuse or fuses	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/28 16:47
S62	238408	"54" same fuse or fuses	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/28 16:47
S63	238408	S60 and fuse or fuses	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/28 16:47

S64	55	361/41.ccls. and reset or resettable near temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/28 16:54
S65	5	S64 and data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/28 16:53
S66	8	361/41.ccls. and reset or resettable near temperature near3 fuse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/28 17:13
S67	2	("5,963,121").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/28 17:13